




BOS-G50-Cabinet SE-G50-Cabinet

BOS-G50-Cabinet & SE-G50-Cabinet



High Capacity

The maximum configuration supports 10 standard 3U battery modules, enabling a total system energy storage of 51.2 kWh



Intelligent

Intelligent Temperature Control Design with Fan Cooling



Durable & Long-Lasting

IP54 waterproof and C4 corrosion resistant, built to last over 10 years



Environmentally Friendly

Free of heavy metals and non-polluting to the environment



Model		BOS-G50-Cabinet
IP Rating of Enclosure		IP54
Bearing Capacity		≤600kg
Weight Approximate		180kg
Dimension (WxDxH)		573x800x1927mm
Altitude		≤3000m
Recommended Operating Temperature		-20°C~55°C
Warranty		10 years
Color		White (RAL9016)
Material		SGCC
Applicable to the Product		BOS-G,BOS-G-Pro



Model	SE-G50-Cabinet
IP Rating of Enclosure	IP54
Bearing Capacity	≤600kg
Weight Approximate	180kg
Dimension (WxDxH)	573x800x1927mm
Altitude	≤3000m
Recommended Operating Temperature	-20°C~55°C
Warranty	10 years
Color	White (RAL9016)
Material	SGCC
Applicable to the Product	SE-G5.1Pro-B



POWERING YOUR LIFE



www.deyeess.com / www.deyeinverter.com



Deye ESS / Deye New Energy